ROTO-JET[®] RO-FT HIGH PRESSURE PITOT TUBE PUMPS

MODEL RG 3X2 GREASE LUBRICATED





TRILLIUMFLOW.COM

HIGH PRESSURE SINGLE-STAGE, CENTRIFUGAL PUMP WITH ADVANCED PITOT TUBE TECHNOLOGY

ADVANCED DESIGN

- High pressure without high speed
- Flexible: performance can be adjusted by changing the pitot tube
- Simple: only two basic working parts

DEPENDABLE PERFORMANCE

- Hydraulically stable along the entire performance curve and beyond BEP
- · Low minimum flow requirement
- Rugged design: one of the most reliable high pressure pumps in the marketplace


ENHANCED RELIABILITY

- Smooth, pulsation-free flow
- · Low pressure mechanical seal is easily maintained
- Isolated bearing pedestal to minimize risk of bearing contamination

RG 3X2 PUMP FEATURES


- Materials of construction: ductile iron, carbon steel, stainless steel, CA6NM, and CD4MCu
- Single or double mechanical seal
- Threaded or flanged connections
- Grease lubricated bearings






TYPICAL ROTO-JET MODEL RG 3X2 APPLICATIONS

- Food and beverage cleaning systems
- Reverse osmosis systems
- Automotive gun drilling coolant
- Spraying / washing systems
- · High-pressure paper shower
- · Circuit board wash systems
- Water / process injection systems
- Seal flushing systems
- Boiler feed / cleaning systems
- · Many more applications



Note: Dimensions are for general reference only and will vary with actual model selected



SPECIFICATIONS - RG 3X2			
Maximum temperature	180° F	82° C	
Maximum temperature (with flush)	250° F	121° C	
Maximum suction pressure	200 PSI	14 BAR	
Maximum head	2600 Ft.	792 m	
Maximum speed	4380RPM	4380 RPM	
Maximum flow	400 GPM	91 m3/hr	
Maximum horsepower	400 HP	300 KW	
Weight	870 lbs.	395 kg	
Lubrication	grease	grease	

MATERIALS OF CONSTRUCTION			
	STAINLESS STEEL	DUCTILE IRON	
Rotor	316 St. Steel	Ductile Iron	
Rotor cover	316 St. Steel	Ductile Iron	
Manifold	316 St. Steel	Ductile Iron	
Endbell	Ductile Iron	Ductile Iron	
Pickup tube*	17-4 PH	17-4 PH	
Shaft	AISI 4140	AISI 4140	
*Ales susilable in 710 Incorel			

*Also available in 718 Inconel

OPERATING RANGE





TRILLIUM PUMPS USA, Inc.

2495 S. Golden State Blvd. Fresno, CA 93706 USA T: +1 559 442 4000 F: +1 559 442 3098 rotojet@trilliumflow.com

TRILLIUMFLOW.COM

© 2019, 2018, 2012 Trillium Flow Technologies, All Rights Reserved. Roto-Jet is a registered trademark of Trillium Pumps USA SLC

RotoJet RG 3x2. V5. August 2021